



FDSN Web Service Specification

fdsnws-availability

Version 1.0

2019-06-27

Purpose

To specify a web service interface for the exchange of time series data availability within the context of the International Federation of Digital Seismograph Networks (FDSN). The intention is to provide a specification that, when implemented at different FDSN data centers, can be used interchangeably by the same client software. Combined with common FDSN web service specifications, this document fully defines the request parameters and expected results.

Common service characteristics

This document must be combined with the common service characteristics defined in version 1.1, or later version 1.x, of the “[FDSN-WS-Specification-Commonalities](#)” for a full specification. The common service characteristics include versioning scheme, general calling pattern, common service methods, common error responses, and more.

Service methods

The following methods shall be supported by the service:

- query** – to submit a data request
- queryauth** – to authenticate and submit a request, optional
- extent** - to submit a data request
- extentauth** – to authenticate and submit a request, optional
- version** – to request the full service version number
- application.wadl** – to request a WADL for the interface

Purpose of the *query* and *extent* methods:

The *fdsnws-availability* service is designed to return a description of available time series data. To support a broad range of use cases there are two major result styles. The first, returned by the *query* and *queryauth* methods, includes full resolution time series listings with an option to merge overlapping time spans. The second, returned by *extent* and *extentauth*, includes time series listings with only the earliest and latest data available.

Purpose of the *queryauth* and *extentauth* methods:

The optional *queryauth* and *extentauth* methods behave identically to their *query* and *extent* counterparts except that submission requires authentication. The data center may then include restricted data that would be available using the credentials in the results.

Common parameters for the *query* and *extent* methods:

The service shall accept requests formulated using the parameters identified in Table 1. The **alias** values are acceptable synonyms for the given **parameter** name.

Table 1. Common parameters for the *query* and *extent* methods:

Parameter	Alias	Support	Default	Allowed Values	Type	Unit
starttime	start	required	[Any]	Any valid time]	time	UTC
					Limit results to time series samples on or after the specified start time.	
endtime	end	required	[Any]	Any valid time	time	UTC
					Limit results to time series samples on or before the specified end time.	
network	net	required	[Any]	Valid network code or wildcard	string	
					Select one or more network codes. Can be FDSN network codes or data center defined codes. Multiple codes are comma-separated.	
station	sta	required	[Any]	Valid network code or wildcard	string	
					Select one or more FDSN station codes. Multiple codes are comma-separated.	
location	loc	required	[Any]	Valid station code or wildcard	string	
					Select one or more FDSN location identifiers. Multiple identifiers are comma-separated. As a special case '--' (two dashes) will be translated to a string of two space characters to match blank location IDs.	
channel	cha	required	[Any]	Valid channel code or wildcard	string	
					Select one or more FDSN channel codes. Multiple codes are comma-separated.	
quality		optional	[Any]	Valid quality code or wildcard	string	
					Select a specific FDSN quality indicator, handling is data center dependent.	
merge		optional	[None]	Valid merge flag	string	
					If set to one or more of the following values, time spans are merged as described. Multiple values may be specified as a comma-delimited list, e.g. <i>merge=samplerate,quality</i> .	
					samplerate : time spans from data with differing sample rates will be grouped together. If specified this field will be omitted from the result.	
					quality : time spans from data with differing quality codes will be grouped together. If specified this field will be omitted from the result.	
					overlap : time spans from data that overlap will be merged together. This option does not apply to the <i>extent</i> method.	
orderby		optional	nslc_time_quality_samplerate		string	
					Sort results by one of the following values in the order specified:	
					nslc_time_quality_samplerate : network, station, location, channel, time-range, quality, sample-rate (default)	
					latestupdate : update-date (past to present), network, station, location, channel, time-range, quality, sample-rate	
					latestupdate_desc : update-date (present to past), network, station, location, channel, time-range, quality, sample-rate	
					timespancount : number of timespans (small to large), network, station, location, channel, time-range, quality, sample-rate	
					timespancount_desc : number of timespans (large to small), network, station, location, channel, time-range, quality, sample-rate	
limit		optional	[Unlimited]	Valid merge flag	integer	
					Limit results to the specified number of timespans.	
includerestricted		optional	FALSE	TRUE or FALSE	boolean	
					If true, all data are reported. If false, only data that can be openly accessed.	
format		optional	text	text, geocsv, request	string	
					Specify format of result, either <i>text</i> (the default) or <i>geocsv</i> or <i>json</i> or <i>request</i> .	
nodata		optional	204	204 or 404	string	
					Select HTTP status code for "no data", either 204 (default) or 404 .	

Parameters specific to the *query* method:

Additional parameters for the *query* method are in Table 2.

Table 2. Additional *query* method parameters:

Parameter	Alias	Support	Default	Allowed Values	Type	Unit
mergegaps		optional	0.0	>= 0.0	float	
If set, merge time spans that are separated by the specified tolerance in seconds.						
show		optional	[None]	latestupdate	string	
If set to <i>latestupdate</i> , the latest times at which data contributing to the returned time spans were loaded into the repository are included in the result. This option applies to all formats except <i>request</i> .						

Requests using the *query* method

The parameters may be submitted using either of the HTTP GET or POST methods. The POST method is useful to support the submission of a large number of data selections.

For the GET method, the parameters should be submitted as key=value pairs and may not be specified more than once; if a parameter is submitted multiple times the result is undefined.

For the POST method, all parameters must be submitted as part of the POST body. The non-repeating parameters should be specified as key=value pairs on separate lines, while the data identifier (*network, station, location, channel*) and time (*starttime, endtime*) parameters are repeated as many times as necessary following this pattern:

```
parameter1=value  
parameter2=value  
NET STA LOC CHA STARTTIME ENDTIME  
NET STA LOC CHA STARTTIME ENDTIME  
NET STA LOC CHA STARTTIME ENDTIME
```

This would be POSTed to the URI “<site>/fdsnws/availability/1/query” or “<site>/fdsnws/availability/1/extent”.

All rules for parameters apply equally whether submitted using the GET or POST methods with the exception of blank location IDs, which must be specified as “--” in the POST body due to spaces being used as the field separator.

Responses for the *query* and *extent* methods

The results of a successful request shall be returned as text by default, using the MIME type **text/plain**. If the *format* parameter is ‘geocsv’ the results shall be returned in GeoCSV formatting using MIME type **text/csv**. If the format parameter is ‘request’ the results shall be returned in the FDSN web service POST-style request format using MIME type **text/plain**.

The earliest and latest times included in a ‘request’ format response should be truncated to the start and end times if they are submitted in the request. This allows the result to be used as a request without selecting more than originally desired. At a data center’s option the earliest and latest times for all other formats may be trimmed as well.

Behavior for the *queryauth* and *extentauth* methods

HTTP Digest Authentication (RFC 2617) should be requested from the client. After successful authentication, a request should be accepted and handled as per the *query* or *extent* method respectively. Authentication credentials (user database and associated licensing schemes) are data center specific.

Behavior for the *version* method

The service shall return the implementation version as a simple text string using the MIME type **text/plain**. Any parameters submitted with the method will be ignored.

Behavior for the *application.wadl* method

The service shall return a WADL conformant description of the interface using the MIME type **application/xml**. Any parameters submitted with the method will be ignored. The WADL shall describe all parameters supported by the interface and is primarily used to document which optional parameters are supported.

Behavior for the **error** conditions

All errors shall use the type and pattern described in the common FDSN web service specifications.

Text output format

This 'text' output format contains one timespan per line with fields separated by spaces (ASCII 32) as needed for column alignment. This output is aligned for human readability. Lines beginning with a hash character ("#: ASCII decimal 35) should be considered comment lines. A single header line describing the columns is strongly recommended.

The text format for the *query* method follows this pattern:

```
#Network Station Location Channel Quality SampleRate Earliest Latest
NET STA LOC CHAN QUAL SAMPRATE EARLIEST LATEST
NET STA LOC CHAN QUAL SAMPRATE EARLIEST LATEST
...
```

For the *query* method, if the *show* parameter is set to *latestupdate*, the text format includes an additional column with the latest update time:

```
#Network Station Location Channel Quality SampleRate Earliest Latest Updated
NET STA LOC CHAN QUAL SAMPRATE EARLIEST LATEST UPDATED
NET STA LOC CHAN QUAL SAMPRATE EARLIEST LATEST UPDATED
...
```

For the *query* method, if the *merge* parameter is set to *samplerate,quality* these respective fields are omitted from the result:

```
#Network Station Location Channel Earliest Latest Updated
NET STA LOC CHAN EARLIEST LATEST UPDATED
NET STA LOC CHAN EARLIEST LATEST UPDATED
...
```

The text format for the *extent* method follows this pattern:

```
#Network Station Location Channel Quality SampleRate Earliest Latest Updated TimeSpans Restriction
NET STA LOC CHAN QUAL SAMPRATE EARLIEST LATEST UPDATED SPANCOUNT STATUS
NET STA LOC CHAN QUAL SAMPRATE EARLIEST LATEST UPDATED SPANCOUNT STATUS
...
```

In these text listings:

- NET, STA, LOC, CHAN and QUAL are FDSN data source identifiers
- SAMPRATE is sample rate in Hertz
- EARLIEST, LATEST and UPDATED are date-times in the form specified in the common FDSN web service specifications
- SPANCOUNT is the number of timespans contributing to an extent
- STATUS is the restricted status, one of: OPEN, RESTRICTED, or PARTIAL

GeoCSV output format

The ‘geocsv’ version of results is a text format designed to contain enhanced metadata and be consistently machine readable. The output format contains the exact same data as the ‘text’ format within a [GeoCSV](#) container, which provides annotations to describe the data structure. For this output, the column delimiter should be vertical bar characters (“|”: ASCII decimal 124). Field entries cannot contain vertical bar characters.

To illustrate, the GeoCSV results for the *extent* method would follow this pattern:

```
#dataset: GeoCSV 2.0
#delimiter: |
#field_unit: unitless|unitless|unitless|unitless|unitless|hertz|ISO_8601|ISO_8601|ISO_8601|unitless|
unitless
#field_type: string|string|string|string|string|float|datetime|datetime|datetime|integer|string
Network|Station|Location|Channel|Quality|SampleRate|Earliest|Latest|Updated|TimeSpans|Restriction
NET|STA|LOC|CHAN|QUAL|SR|EARLIEST|LATEST|UPDATED|SPANCOUNT|STATUS
NET|STA|LOC|CHAN|QUAL|SR|EARLIEST|LATEST|UPDATED|SPANCOUNT|STATUS
...
```

JSON output format

The ‘json’ output format contains the same information available in the text-based formats. The format is defined using JSON Schema and the definition may be found at the following location:

<https://doi.org/10.7914/me2a-2978>

Request output format

The ‘request’ output format is a text listing of the selected time spans or extents in the FDSN web service POST-style request format. This response is designed for easy submission to other FDSN web services, e.g. `fdsnws-dataselect`, `fdsnws-station`. The pattern of this format is:

```
NET STA LOC CHA STARTTIME ENDTIME
NET STA LOC CHA STARTTIME ENDTIME
NET STA LOC CHA STARTTIME ENDTIME
...
```

Time span definition

The *query* method of this service returns timespans representing the coverage of continuous time series data or the range of non-time series data. The earliest and latest times reported are, respectively, the times of the first and last sample times in the span. When determining continuous time spans from otherwise fragmented data, such as data records, it is recommended to use a time tear tolerance equal to or less than $\frac{1}{2}$ the sampling period.

Time span representations must not be generated that combine spans across independent networks, specifically the case where network codes are re-used for temporary networks.

Examples

Requesting extents in default 'text' format with all extra columns:

<https://DataCenter/fdsnws/availability/1/extent?network=IU&station=ANMO&channel=BHZ>

#Network	Station	Location	Channel	Quality	SampleRate	Earliest	Latest	Updated	TimeSpans	Restriction		
IU	ANMO	--	BHZ	M	20.0	1989-08-29T22:07:20.482000Z	1998-10-26T17:38:43.640000Z	2018-05-08T21:47:09Z	611	OPEN		
IU	ANMO	00	BHZ	M	0.0	2002-08-28T18:17:51.000000Z	2008-05-23T23:09:24.000000Z	2017-12-06T03:42:35Z	9051	OPEN		
IU	ANMO	00	BHZ	M	20.0	1998-10-26T20:35:58.310000Z	2018-07-09T20:45:47.369000Z	2018-07-10T08:29:54Z	2238	OPEN		
IU	ANMO	00	BHZ	M	40.0	2018-07-09T20:46:40.594000Z	2019-02-04T23:59:59.994000Z	2019-02-05T09:27:24Z	1	OPEN		
IU	ANMO	10	BHZ	M	0.0	2002-11-28T04:00:00.000000Z	2007-06-01T19:29:00.000000Z	2017-12-06T03:09:51Z	47	OPEN		
IU	ANMO	10	BHZ	M	40.0	1998-10-26T20:35:59.072000Z	2019-02-04T23:59:59.994000Z	2019-02-05T09:27:24Z	176	OPEN		

Requesting extents in GeoCSV format:

<https://DataCenter/fdsnws/availability/1/extent?format=geocsv&network=IU&station=ANMO&channel=BHZ>

```
#dataset: GeoCSV 2.0
#delimiter: |
#field_unit: unitless|unitless|unitless|unitless|unitless|hertz|ISO_8601|ISO_8601|ISO_8601|unitless|unitless
#field_type: string|string|string|string|string|float|datetime|datetime|datetime|integer|string
network|station|location|channel|quality|sample_rate|earliest|latest|updated|timespans|restriction
IU|ANMO|--|BHZ|M|20.0|1989-08-29T22:07:20.482000Z|1998-10-26T17:38:43.640000Z|2018-05-08T21:47:09Z|611|OPEN
IU|ANMO|00|BHZ|M|0.0|2002-08-28T18:17:51.000000Z|2008-05-23T23:09:24.000000Z|2017-12-06T03:42:35Z|9051|OPEN
IU|ANMO|00|BHZ|M|20.0|1998-10-26T20:35:58.310000Z|2018-07-09T20:45:47.369000Z|2018-07-10T08:29:54Z|2238|OPEN
IU|ANMO|00|BHZ|M|40.0|2018-07-09T20:46:40.594000Z|2019-04-02T23:59:59.994000Z|2019-04-03T08:27:06Z|1|OPEN
IU|ANMO|10|BHZ|M|0.0|2002-11-28T04:00:00.000000Z|2007-06-01T19:29:00.000000Z|2017-12-06T03:09:51Z|47|OPEN
IU|ANMO|10|BHZ|M|40.0|1998-10-26T20:35:59.072000Z|2019-04-02T23:59:59.994000Z|2019-04-03T08:27:06Z|180|OPEN
```

Requesting extents in 'request' format for a 36 hour time window:

<https://DataCenter/fdsnws/availability/1/extent?format=request&network=IU&station=ANMO&channel=BHZ&starttime=2018-01-31T00:00:00&endtime=2018-02-01T12:00:00>

```
IU ANMO 00 BHZ 2018-01-31T00:00:00.000000 2018-02-01T12:00:00.000000
IU ANMO 10 BHZ 2018-01-31T00:00:00.000000 2018-02-01T12:00:00.000000
```

Requesting extents in 'json' format for a 36 hour time window:

<https://DataCenter/fdsnws/availability/1/extent?format=json&network=XX&station=STA&location=-&channel=?HZ&starttime=2018-01-31T00:00:00&endtime=2018-02-01T12:00:00>

```
{
  "created": "2019-02-13T22:29:09Z",
  "version": 1.0,
  "datasources": [
    {
      "network": "XX",
      "station": "STA",
      "location": "",
      "channel": "BHZ",
      "quality": "D",
      "samplerate": 20.0,
      "earliest": "2018-01-31T00:00:00.000000Z",
      "latest": "2018-02-01T12:00:00.000000Z",
      "timespanCount": 2,
      "updated": "2019-02-03T14:01:00Z",
      "restriction": "OPEN"
    },
    {
      "network": "XX",
      "station": "STA",
      "location": "",
      "channel": "HHZ",
      "quality": "D",
      "samplerate": 100.0,
      "earliest": "2018-01-31T00:00:00.000000Z",
      "latest": "2018-02-01T12:00:00.000000Z",
      "timespanCount": 1,
      "updated": "2019-02-03T14:01:00Z",
      "restriction": "RESTRICTED"
    }
  ]
}
```

Requesting timespans in 'json' format for a 36 hour time window, including the additional *latestupdate* values:

<https://DataCenter/fdsnws/availability/1/query?format=json&show=latestupdate&network=IU&station=ANMO&channel=BHZ&starttime=2018-01-31T00:00:00&endtime=2018-02-01T12:00:00>

```
{
  "created": "2019-02-13T22:29:09Z",
  "version": 1.0,
  "datasources": [
    {
      "network": "XX",
      "station": "STA",
      "location": "",
      "channel": "BHZ",
      "quality": "D",
      "samplerate": 20.0,
      "updated": "2019-02-03T14:01:00Z",
      "timespans": [
        [
          "2018-01-31T00:00:00.000000Z",
          "2018-02-01T05:01:14.250000Z"
        ],
        [
          "2018-02-01T05:02:32.050000Z",
          "2018-02-01T12:00:00.000000Z"
        ]
      ]
    },
    {
      "network": "XX",
      "station": "STA",
      "location": "",
      "channel": "HHZ",
      "quality": "D",
      "samplerate": 100.0,
      "updated": "2019-02-03T14:01:00Z",
      "timespans": [
        [
          "2018-01-31T00:00:00.000000Z",
          "2018-02-01T12:00:00.000000Z"
        ]
      ]
    }
  ]
}
```

References

Web Application Description Language (WADL) - <http://www.w3.org/Submission/wadl/>

GeoCSV, tabular text formatting for geoscience data - <http://geows.ds.iris.edu/documents/GeoCSV.pdf>

JSON Schema vocabulary format - <https://json-schema.org/>

Credits

This document was designed and is maintained by the Incorporated Research Institutions for Seismology (IRIS), Data Services on behalf of the FDSN.

Changes

2019-02-13 · Initial specification proposal

2019-04-03 · Redrafted proposal based on Working Group feedback

- Change *timespan* method to *query*.
- Remove 'show' parameter for *extent* method and make latest update, time span count and restriction status fixed fields in the output format.
- Add new 'mergegaps' parameter to *query* method.
- Remove functionally duplicated 'mergetimespans' method in favor of existing 'merge=timespans'.
- Clarify when merging sample rates or qualities the respective field is omitted in the result.
- Clarify that timespan representations should not be created that cross individual network designations, specifically for network codes that are re-used for temporary deployments.
- Change text format headers to fully express data identifiers for consistency with other FDSN web service formats.

2019-05-03 · Version 1.0

- Initial version adopted by FDSN WG III. No changes from previous version.

2019-05-13

- Add DOI link to JSON Schema document for JSON format and fix JSON examples.

2019-06-27

- Reformat document to match the style of other FDSN web service specifications.